



FLANGES

Bottom mounts




BFE flanges
BFI flanges
BFP flanges
BNE flanges
BNI flanges
MC flanges

Top mounts




XC flanges
XQ flanges
XR flanges
XS flanges
XV flanges

Foot mounts




AR/AT flanges
GR/FR flanges
MT flanges
PR flanges
XN flanges
XT flanges

Body mounts




CF flanges
CS flanges


BFE flanges




BFE-500




BFE-750




BFE-1500




BFE-3000




BFE-5000




BFE-7500




BFE-10000




BFI Flanges




BFI-500




BFI-750




BFI-1500




BFI-3000




BFI-5000




BFI-7500




BFI-10000




BFP flanges




BFP-1000

PSA
E24.54.815.G


BFP-2400

PSA
E24.54.815.G


BFP-4200

PSA
E24.54.815.G


BNE flanges




BNE-1000




BNE-2400




BNE-4200




BNE-6600




BNE-9500




BNI Flanges




BNI-1000




BNI-2400




BNI-4200




BNI-6600




BNI-9500




MC Flanges




MC-1000




MC-1500




MC-2500




MC-4000




MC-6500




XC Flanges




XC-150




XC-250




XC-500




XCK-750




XC-750




XC-1000




XCV-1500



XCK-1500




XC-1500




XC Flanges


XCS-1800




XC-3000




XCS-4700




XC-5000




XCS-7500




XC-7500




XC-10000




XQ Flanges




XQ-100




XQ-200




XR Flanges




XR-200




XS Flanges




XS-50




XS-70




XS-150




XS-200




XS-250




XS-300




XS-500



XSK-750




XS-750




XS Flanges


XS-1000




XS-1500




XS-3000




XSKC-5000




XS-5000




XS-7500




XS-10000



XV Flanges




XV-100




VDI

XV-200




VDI


AR/AT Flanges




AR-150




AR-250




AR-500




AR-750




AT-1500




AR-1500




AR-3000



AR-5000




AR-7500




AR/AT Flanges


AR-I0000




GR/FR Flanges




GR-100




GR-300




FR-250




FR-500




GR-750




GRS-750




GR-1500



GR-3000




GR-5000




GR/FR Flanges


GR-7500




GR-10000




MT Flanges




MT-1000




MT-1500




MT-2500




MT-4000




MT-6500




PR Flanges




PR-250




PR-500




PR-750




PR-1500




PR-3000




PR-5000




PR-7500




XN Flanges




XN-1000




XN-2400




XN-4200




XN-6600



XN-9500




KR Flanges




KR-250

Use min. 3 units and max. 4 units.




KR-500

Use min. 3 units and max. 4 units.




KR-750

Use min. 3 units and max. 4 units.




KR-1000

Use min. 3 units and max. 4 units.




KR-1500

Use min. 3 units and max. 4 units.




KR-3000

Use min. 3 units and max. 4 units.




KR-5000

Use min. 3 units and max. 4 units.




KR-7500


Use min. 3 units and max. 4 units.




XT Flanges




XT-750




XT-1000




XT-1800




XTS-1800




XT-3000




XT-4700




XTS-4700



XT-7500




XTS-7500




XT Flanges


XT-I1800



XT-I8300




CF Flanges




Flange must not support
spring's force

CF-150




VDI

CF-250




VDI

CF-500




VDI

CF-750




VDI

CF-1000




VDI

CF-1500




VDI

CF-3000




VDI

CF-5000




VDI

CF-7500




VDI

CS Flanges




Flange must not support spring's force


CS-150




CS-250




CS-500




CS-750




CS-1500



CS-3000



CS-5000



CS-7500

